

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	396	(simulat\$4 with ((waste power) adj stroke)(waste power)adj spark)	US-PGPUB; USPAT	OR	ON	2005/07/08 13:40
L4	396	(simulat\$4 with ((waste power) adj stroke)((waste power)adj spark))	US-PGPUB; USPAT	OR	ON	2005/07/08 13:42
L5	19	simulat\$4 with (((waste power) adj stroke)((waste power)adj spark))	US-PGPUB; USPAT	OR	ON	2005/07/08 13:52
L6	72	(73/117.1).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/08 13:53
L7	3	6 and (ignition with (test\$4 evaluat\$4 measur\$4 detect\$4 inspect\$4))	US-PGPUB; USPAT	OR	ON	2005/07/08 13:54
L8	307	(ignition with (test\$4 evaluat\$4 measur\$4 detect\$4 inspect\$4)).ti.	US-PGPUB; USPAT	OR	ON	2005/07/08 13:54
L9	1739	(ignition with (test\$4 evaluat\$4 measur\$4 detect\$4 inspect\$4)).ab.	US-PGPUB; USPAT	OR	ON	2005/07/08 13:54
L10	3805	(ignition with (test\$4 evaluat\$4 measur\$4 detect\$4 inspect\$4)).clm.	US-PGPUB; USPAT	OR	ON	2005/07/08 13:54
L11	143	8 and 9 and 10	US-PGPUB; USPAT	OR	ON	2005/07/08 13:55
L12	20	11 and simulat\$3	US-PGPUB; USPAT	OR	ON	2005/07/08 13:55
L13	20	11 and simulat\$5	US-PGPUB; USPAT	OR	ON	2005/07/08 14:19
L14	3830	((324/388,383,380,402) or (73/116,117.1,118.1) or (123/630, 621,618,628)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/08 14:20
L15	18	14 and (ground\$4 with simulat\$4)	US-PGPUB; USPAT	OR	ON	2005/07/08 14:26
L16	204	(123/630).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/08 14:27
L17	1	("6396277").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/08 14:41
L18	1	("6842007").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/08 14:48
L19	1	18 and (simulat\$4 waste)	US-PGPUB; USPAT	OR	OFF	2005/07/08 14:42
L20	1	18 and (simulat\$4 waste)	US-PGPUB; USPAT	OR	ON	2005/07/08 14:42
L21	1	"20050012503"	US-PGPUB; USPAT	OR	ON	2005/07/08 14:43

L22	1	21 and gap	US-PGPUB; USPAT	OR	ON	2005/07/08 14:43
S1	1	("6396227").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/07 12:06
S2	3	((("1,873,121") or ("5,175,501") or ("5.641,898") or ("20030038635"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/07/07 12:06
S3	4	((("1,873,121") or ("5,175,501") or ("5.641,898") or ("20030038635"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/07/08 11:04
S4	1	("20050012503").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/07 12:10
S5	0	COP and (amy near he)	US-PGPUB; USPAT	OR	OFF	2005/07/07 12:10
S6	0	COP and (amy near he)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 12:11
S7	121	(amy near he)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 12:11
S8	120	(amy near he)	US-PGPUB; USPAT	OR	OFF	2005/07/07 12:13
S9	0	S8 and COP	US-PGPUB; USPAT	OR	OFF	2005/07/07 12:13
S10	0	S8 and (spark with plug)	US-PGPUB; USPAT	OR	OFF	2005/07/07 14:28
S11	98	(324/380).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/07 14:28
S12	6	S11 and McQueeney	US-PGPUB; USPAT	OR	OFF	2005/07/07 14:50
S13	1450	(324/378-402).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/07 14:54
S14	2596	(324/378-402).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 14:54
S15	203	S14 and (switch\$4 with coil)	US-PGPUB; USPAT	OR	OFF	2005/07/07 14:55
S16	206	S14 and (switch\$4 with coil)	US-PGPUB; USPAT	OR	ON	2005/07/07 14:56

S17	111	S16 and (ground\$4 with coil)	US-PGPUB; USPAT	OR	ON	2005/07/07 14:56
S18	2	S17 and ((waste\$stroke)(waste adj stroke))	US-PGPUB; USPAT	OR	ON	2005/07/07 15:08
S19	2	S17 and ((waste\$stroke)(waste adj stroke)(waste\$spark))	US-PGPUB; USPAT	OR	ON	2005/07/07 15:08
S20	2	S17 and ((waste\$stroke)(waste adj stroke)(waste adj spark))	US-PGPUB; USPAT	OR	ON	2005/07/07 15:09
S21	2	S14 and (simulat\$4 with (ignition adj coil)with (waste adj(spark power)))	US-PGPUB; USPAT	OR	ON	2005/07/07 15:10
S22	2	S14 and (simulat\$4 with (ignition adj coil)with (waste\$spark waste\$power))	US-PGPUB; USPAT	OR	ON	2005/07/07 15:11
S23	4	(simulat\$4 with (ignition adj coil)with (waste\$spark waste\$power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:13
S24	4	(simulat\$4 with (ignition adj coil)with ((exhaust waste)adj stroke))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:16
S25	66	S14 and (distributor with switch\$4)	US-PGPUB; USPAT	OR	OFF	2005/07/07 15:47
S26	66	S14 and (distributor with switch\$4)	US-PGPUB; USPAT	OR	ON	2005/07/07 16:08
S27	18	S14 and (simulat\$4 with ((waste power) adj stroke)(waste power)adj spark)	US-PGPUB; USPAT	OR	ON	2005/07/08 13:40
S28	6	S27 and (ground\$4 with switch\$4)	US-PGPUB; USPAT	OR	ON	2005/07/07 16:20
S29	91	(324/397).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/07 16:22
S30	596	(324/397,380,378,385,388,383, 402).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/07 16:22
S31	7	S30 and ((short\$4 ground\$4)with waste\$3)	US-PGPUB; USPAT	OR	ON	2005/07/07 16:24
S32	109	S30 and ((short\$4 ground\$4)with switch\$3)	US-PGPUB; USPAT	OR	ON	2005/07/07 16:24
S33	48	S30 and ((short\$4 ground\$4)with switch\$3 with (secondary output))	US-PGPUB; USPAT	OR	ON	2005/07/07 16:30
S34	1331	(73/116).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/07 16:30

S35	2389	(73/116).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 16:30
S36	27	S35 and (ground\$3 with (ignition adj coil))	US-PGPUB; USPAT	OR	OFF	2005/07/07 16:31
S37	27	S35 and (ground\$3 with (ignition adj coil))	US-PGPUB; USPAT	OR	ON	2005/07/07 16:31
S38	23	S35 and (ground\$3 with (ignition adj coil))and switch\$3	US-PGPUB; USPAT	OR	ON	2005/07/07 16:33
S39	1	S35 and (simulat\$4 with ((waste power)adj spark))	US-PGPUB; USPAT	OR	ON	2005/07/07 16:34
S40	0	S35 and (simulat\$4 with ((waste power)adj stroke))	US-PGPUB; USPAT	OR	ON	2005/07/07 16:34
S41	396	(simulat\$4 with ((waste power) adj stroke)(waste power)adj spark)	US-PGPUB; USPAT	OR	ON	2005/07/07 16:35
S42	396	(simulat\$4 with ((waste power) adj stroke)((waste power)adj spark))	US-PGPUB; USPAT	OR	ON	2005/07/07 16:36
S43	588	(simulat\$4 with ((waste power) adj stroke)((waste power)adj spark))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:36
S44	566	(simulat\$4 with ground\$3 with((waste power) adj stroke)((waste power)adj spark))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:41
S45	564	(simulat\$4 with ground\$3 with swich\$3 with((waste power) adj stroke)((waste power)adj spark))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:41
S46	4	(simulat\$4 with ground\$3 with(((waste power) adj stroke)((waste power)adj spark)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:42

S47	3	(simulat\$4 with ground\$3 with switch\$4 with(((waste power) adj stroke)((waste power)adj spark)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:49
S48	27	(simulat\$4 with (((waste power) adj stroke)((waste power)adj spark)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 17:26
S49	91	(324/397).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/07 17:28
S50	21	(324/383).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/07 17:30
S51	50	(324/385).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/07 17:30
S52	13	(US-20050012503-\$ or US-20050017724-\$ or US-20050068037-\$ or US-20040183539-\$).did. or (US-5841283-\$ or US-5641898-\$ or US-5347856-\$ or US-4490799-\$ or US-4135154-\$ or US-5410253-\$ or US-4795979-\$).did. or (WO-2004085838-\$).did. or (WO-2004085838-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/07/07 18:18
S53	1	("6396277").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/07 18:19
S54	21	(324/383).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/07 18:28
S55	98	(324/380).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/07 18:29
S56	0	S54 and S55	US-PGPUB; USPAT	OR	OFF	2005/07/07 18:28
S57	132	(324/388).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/07 18:38
S58	5	S54 and S57	US-PGPUB; USPAT	OR	OFF	2005/07/07 18:30
S59	17	S57 and S55	US-PGPUB; USPAT	OR	OFF	2005/07/07 18:38

S60	13	(US-20050012503-\$ or US-20050017724-\$ or US-20050068037-\$ or US-20040183539-\$).did. or (US-5841283-\$ or US-5641898-\$ or US-5347856-\$ or US-4490799-\$ or US-4135154-\$ or US-5410253-\$ or US-4795979-\$).did. or (WO-2004085838-\$).did. or (WO-2004085838-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/07/08 11:03
S61	1	S60 and (detect\$4 near3 (ignition adj coil))	US-PGPUB; USPAT	OR	OFF	2005/07/08 11:03
S62	1	S60 and (detect\$4 near3 (ignition adj coil))	US-PGPUB; USPAT	OR	ON	2005/07/08 11:03
S63	4	S60 and ((test\$4 detect\$4) near3 (ignition adj coil))	US-PGPUB; USPAT	OR	ON	2005/07/08 11:04
S64	4	((("1,873,121") or ("5,175,501") or ("5641,898") or ("20030038635"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/07/08 11:04
S65	1	S64 and ((test\$4 detect\$4) near3 (ignition adj coil))	US-PGPUB; USPAT	OR	ON	2005/07/08 11:04
S66	399	((test\$4 detect\$4) near3 (ignition adj coil))	US-PGPUB; USPAT	OR	ON	2005/07/08 11:04
S67	198	((test\$4 detect\$4) near3 (ignition adj coil))and (voltage with (spark adj plug))	US-PGPUB; USPAT	OR	ON	2005/07/08 11:05
S68	119	((test\$4 detect\$4) near3 (ignition adj coil))and ((measur\$4 detect\$4 test\$4 determin\$4)with voltage with (spark adj plug))	US-PGPUB; USPAT	OR	ON	2005/07/08 11:06
S69	68	S68 and compar\$4 with voltage	US-PGPUB; USPAT	OR	ON	2005/07/08 11:06
S70	68	S68 and (compar\$4 with voltage)	US-PGPUB; USPAT	OR	ON	2005/07/08 11:18
S71	24	S70 and distributor	US-PGPUB; USPAT	OR	ON	2005/07/08 11:18
S72	97843	(123/\$\$).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/08 11:45
S73	88	S72 and (simulat\$4 with ignition)	US-PGPUB; USPAT	OR	ON	2005/07/08 11:51
S74	0	S72 and (simulat\$4 with ignition with ((waste power)adj stroke))	US-PGPUB; USPAT	OR	ON	2005/07/08 11:51
S75	5	S72 and (simulat\$4 with ignition with ((waste power)))	US-PGPUB; USPAT	OR	ON	2005/07/08 11:56
S76	83	(123/621).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/08 12:07
S77	204	(123/630).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/08 12:07

S78	5	S77 and simulat\$4	US-PGPUB; USPAT	OR	OFF	2005/07/08 12:07
-----	---	--------------------	--------------------	----	-----	------------------